

© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.


NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.

NOTES:

1. ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES.
2. ALL DIMENSIONS AND LEVELS ARE IN METRES UNLESS NOTED OTHERWISE.
3. ALL LEVELS ARE IN METERS AND ARE RELATED TO ORDINANCE DATUM. CO-ORDINATES RELATE TO ITM.
4. CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE.
5. ALL FOUL SEWERS, MANHOLES AND CONNECTIONS TO BE CONSTRUCTED IN ACCORDANCE WITH IRISH WATER CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE AND IRISH WATER WASTEWATER INFRASTRUCTURE STANDARD DETAILS.
6. ALL FOUL SEWER HOUSE CONNECTIONS TO BE MIN 100mmØ UPVC TO IS EN 1401 2009/2012, STIFFNESS CLASS 8kNm2 IN ACCORDANCE WITH IRISH WATER SPECIFICATIONS.
7. ALL PUBLIC FOUL SEWERS TO BE MINIMUM 225mm DIAMETER CLASS H CONCRETE TO IS EN 1916 & S 6 2004 OR UPVC TO IS EN 1401 2009/2012, STIFFNESS CLASS 8kNm2, MIN. JETTING RESISTANCE OF 180 BAR IN ACCORDANCE WITH IRISH WATER SPECIFICATIONS.
8. ALL PUBLIC SURFACE WATER SEWERS TO BE MINIMUM 225 DIA. CLASS H CONCRETE TO EN1916 & S 6 2004 IN ACCORDANCE WITH THE GREATER DUBLIN REGIONAL CODE OF PRACTICE FOR DRAINAGE WORKS.
9. ALL SURFACE WATER CONNECTIONS TO BE MINIMUM 150mmØ UPVC TO IS EN 1401 2009/2012 IN ACCORDANCE WITH THE GREATER DUBLIN REGIONAL CODE OF PRACTICE FOR DRAINAGE WORKS.
10. LOCATION AND INVERT LEVELS OF EXISTING MANHOLES OR OUTFALL POINTS, WHERE APPLICABLE, TO BE VERIFIED BY CONTRACTOR PRIOR TO COMMENCEMENT OF DRAINAGE WORKS.
11. ALL FOUL CONNECTIONS TO COMPLY WITH THE REQUIREMENTS OF THE IRISH WATER.
12. ALL FOUL SEWERS TO BE AIR TESTED IN ACCORDANCE WITH IRISH WATER SPECIFICATIONS.
13. ALL COVER LEVELS TO MATCH FINISHED ROAD/VERGE/FOOTPATH/CYCLETRACK LEVELS UNLESS OTHERWISE STATED.
14. CONTRACTOR TO INCLUDE FOR CCTV SURVEY OF ALL SEWERS UPON COMPLETION OF SAME.

SERVICES LEGEND

- SURFACE WATER SEWER & MANHOLE
- SURFACE WATER FILTER DRAIN
- SURFACE WATER GULLY
- SURFACE WATER CHANNEL DRAIN (ACC)
- RAINWATER DOWNPIPE CONNECTION
- SURFACE WATER ATTENUATION FACILITY
- PERMEABLE PAVING
- PROPOSED SUDS TREE PIT
- PROPOSED SURFACE WATER SWALE
- PROPOSED RAINGARDEN
- PROPOSED LATERAL INLET KERB
- FOUL SEWER & MANHOLE
- FOUL RISING MAIN
- FOUL PUMP STATION
- EXISTING SURFACE WATER SEWER
- EXISTING FOUL SEWER
- EXISTING WATERMAIN



P04	26.05.26	SUDS FEATURES ADDED	JOC	SPB
P03	11.12.25	PRE-SUBMISSION	PGC	SPB
P02	16.07.25	PLANNING ISSUE	HWH	SPB
P01	15.01.24	FOR INFORMATION	PGC	JLB
rev	date	description	by	chkd.

STATUS CODES	
purpose	acceptance
P3 - PLANNING PERMISSION	S - ISSUED

DBFL
CONSULTING ENGINEERS

T: +353 1 400 4000 | E: info@dbfl.ie | W: www.dbfl.ie
DUBLIN | CORK | GALWAY | WATERFORD

project ref:
**DUNSHAULHIN COLLEGE
EXTENSION**

drawing title:
SITE SERVICES LAYOUT SHEET 1

client:
**LOUTH MEATH EDUCATION AND
TRAINING BOARD**

designed by	author	scale	sheet size
JLB	PGC	1:500	A1
drawing no.	revision		
200193-DBFL-RD-SP-DR-C-1301	P04		